Maths 260 Lecture 21

Topics for today:
 Complex eigenvalues and eigenvectors

Reading for this lecture:
 Some notes on complex numbers
 BDH Appendix C

► Suggested exercises:

Problems at the back of "Some notes on complex numbers"

Complex eigenvalues and eigenvectors

The procedure for finding complex eigenvalues and eigenvectors for a matrix is the same as for real eigenvalues and eigenvectors but the calculations can seem trickier because of the complex algebra.

Example 1: Revision for real eigenvalues

Find the eigenvalues and eigenvectors of the matrix $\begin{pmatrix} 4 & 1 \\ 3 & 2 \end{pmatrix}$

Find the eigenvalues and eigenvectors of the matrix

$$\left(\begin{array}{rrr}
-1 & 0 & 0 \\
2 & 1 & 0 \\
-2 & 3 & 7
\right)$$

Find the eigenvalues and eigenvectors of the matrix $\begin{pmatrix} 3 & 2 \\ -2 & 3 \end{pmatrix}$.

Find the eigenvalues and eigenvectors of the matrix

$$\left(\begin{array}{ccc} 1 & 0 & 0 \\ 0 & 2 & -3 \\ 1 & 3 & 2 \end{array}\right).$$

Examples 3 and 4 illustrate two important points:

- ▶ If a matrix has only real entries, then any complex eigenvalues come in complex conjugate pairs.
- ▶ The corresponding eigenvectors come in complex conjugate pairs too.

It is not always obvious when a vector with complex entries is a constant multiple of another vector - but it is easy to check by multiplication.

Example 5: Show that
$$\begin{pmatrix} 2i \\ -1 \end{pmatrix}$$
 is an eigenvector of the matrix $\begin{pmatrix} 1 & 4 \\ -1 & 1 \end{pmatrix}$ corresponding to the eigenvalue $1+2i$.

Show that
$$\begin{pmatrix} 3i\\1\\0 \end{pmatrix}$$
 is an eigenvector of the matrix $\begin{pmatrix} 1&9&1\\-1&1&1\\0&0&1 \end{pmatrix}$ corresponding to the eigenvalue $1-3i$.

We often want to compute the real and imaginary parts of complex-valued expressions.

Example 7:

Compute the real and imaginary parts of $e^{(2-i)t} \begin{pmatrix} 2+i \\ 3 \end{pmatrix}$

Compute the real and imaginary parts of $e^{(2+3i)t}\left(egin{array}{c} 1-3i \\ 4i \end{array}
ight)$

Compute the real and imaginary parts of $e^{-3t} \begin{pmatrix} -i \\ 3 \\ 3i-4 \end{pmatrix}$

Important ideas from today's lecture:

- Computing complex eigenvalues and eigenvectors
 - ▶ If a matrix has only real entries, then any complex eigenvalues come in complex conjugate pairs
 - ► The corresponding eigenvectors come in complex conjugate pairs too
- Separating real and imaginary parts of complex-valued expressions